

Your Globebus Camp Active:

Huge price advantage!



- ACTIVE exterior design
- Design rear light moulding
- Reversing camera
- Insulated waste water tank
- Cassette awning Omnistor
- Extensive chassis equipment with automatic air conditioning, digital speedometer, full LED headlights, LED daytime running lights, wireless phone charger, electric parking brake and much more.
- Naviceiver (Zenec) incl. Apple CarPlay/AndroidAuto
- Special upholstery "Jupiter"
 - Preparation for second rear view camera
 - CP Plus digital heating control panel
 - Kitchen splashback incl. lighting

Globebus Camp Low Profile



The Globebus Camp is the compact Low Profile model series on a Fiat Ducato chassis. With a width of just 220 cm and a length starting at 599 cm, it combines the compact dimensions of a camper van with the comfort and freedom of movement of a classic motorhome. Thanks to the excellent insulation of the habitation and various winter options, the Globebus Camp is the perfect travelling companion all year round.

Technical info

Overall length, approx.	599 - 663 cm
Overall width, approx.	220 cm
Overall height, approx.	273 cm
Headroom in living area, approx.	190 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Calypso
incl. driver and
passenger seat cover



+ Upholstery Salerno
incl. driver and
passenger seat cover
○



+ Upholstery Jupiter
○

Plus factors

- + Agile and safe driving behaviour thanks to compact VAN dimensions with an external width of just 2.20 m and external height of 2.73 m
- + Opening window in the cab bonnet
- + Proven Lifetime body construction with GRP outer skin and excellent insulation. There is a special Winter Comfort Package for winter campers
- + Pleasant sleeping comfort thanks to 150 mm thick 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames
- + Electrically operated compressor refrigerator with perfect cooling performance
- + Diesel heater with 6 kW heat output and 10 litre hot water boiler
- + Extensive standard chassis equipment with 16" aluminium rims, fog lights, 90 l diesel tank, leather steering wheel with controls, etc.

Wood décor



+ Wood décor Noce Nagano

○ optionally available



Globebus Camp Low Profile

Technical info



Globebus Camp Low Profile		T 1	T 4
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6e	Euro 6e
Overall length, approx.	cm	599	663
Overall width, approx.	cm	220	220
Overall height, approx.	cm	273 ¹⁾	273 ¹⁾
Headroom in living area, approx.	cm	190	190
Towable load braked/unbraked	kg	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3450	3800
Bed dimension: Central / middle bed, L X W, approx.	cm	155 x 94 - 78	155 x 94 - 78
Bed dimension: Rear bed, L x W, approx.	cm	199 x 140	201 x 80 / 192 x 75 / 198 x 160
Sleeping berths standard / max.		3	3
Standard engine		140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)
Mass in running order (+/-5%)*	kg	2663 (2530 to 2796)*	2745 (2608 to 2882)*
Manufacturer-specified mass for optional equipment*	kg	511	423
Technically permissible maximum laden mass*	kg	3499	3499
Permitted number of seats (including driver)*		4	4
Refrigerator volume (thereof freezer), approx.	l	83 (10) / 131 (15)	83 (10) / 131 (15)
Waste water tank, approx.	l	95	95
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	115 / 20	115 / 20
Measurement storage opening left (W x H)	cm	35 x 70	65 x 75
Measurement storage opening right (W x H)	cm	75 x 90	60 x 95

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

T1

T4

Fiat chassis		
Alloy wheel Fiat 16 ", black	●	●
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	●	●
Right-hand drive chassis	●	●
Fiat chassis features		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●
Anti-theft device	●	●
Automatic Brake Assist after a collision	●	●
Cab blackout blinds	●	●
Captain seats for driver and front passenger, swivel function	●	●
Chassis in right-hand drive version	●	●
Crosswind Assist	●	●
Cruise control	●	●
Cup holder in the centre of the dashboard	●	●
DAB+ radio antenna integrated into right exterior mirror	●	●
Dashboard with aluminium application	●	●
Daytime running lights integrated into headlights	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●
Driver and passenger airbags	●	●
Driver and passenger detection	●	●
Driver's cab manual A/C	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●	●
Exterior colour chassis white	●	●
Fog lights incl. cornering light	●	●
Front-wheel drive	●	●
Height and tilt adjustment and double armrests for driver and passenger seat	●	●
Leather steering wheel and gear knob withleather sleeve	●	●
Painted front bumper in body colour incl. black skid plate	●	●
Preparation for radio system incl. loudspeakers in the driver's cabin	●	●
Rear axle mudflaps	●	●
Right-hand drive with exhaust on the left side	●	●
Steering wheel with control elements	●	●
Trailer Stability Assist	●	●
Tyre inflation kit and towing eye	●	●
Winter tyres M+S Camping (with snowflake)	●	●
Exterior features		
60 cm wide habitation door	●	—
70 cm wide habitation door	—	●
Access locker door left	●	—
Access locker door left	—	●
Bedroom window right and left	●	●
Dethleffs Exclusive rear light carrier with 3rd brake light	●	●
Double-glazed flush-fitting windows with blackout & mosquito protection	●	●
EPS insulation	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●
Flyscreen habitation door	●	●
GRP roof	●	●
Habitation access with comfortable, wide, electric step	●	●
Habitation door with window incl. blackout and central locking (incl. cab door)	●	●
Large rear garage: right-hand garage door with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	●	●
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	●	●
Opening window in T-hood	●	●

Standard equipment

	T1	T4
Panorama skylight 70 x 50 cm in the living area	●	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●
Exterior design		
Exterior body painted in white	●	●
Interior design		
Upholstery Calypso incl. driver and passenger seat cover	●	●
Wood décor Noce Nagano	●	●
Textile equipment		
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●
Furniture layouts		
Double bed high in the rear, transverse	●	—
High-level single beds incl. comfortable access via steps	—	●
Makeshift bed	●	●
Option to convert single bed to double bed	—	●
Overhead locker doors with soft-close function	●	●
Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁸⁾	●	—
Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁸⁾	—	●
Two practical tension nets under the overhead locker in the rear bed	●	●
Kitchen		
Compressor refrigerator with freezer compartment (83 l)	●	●
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●
Kitchen backsplash	●	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●	●
Room-high compressor refrigerator with separate freezer compartment (131 l)	●	●
Bathroom		
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●
Shower grate	●	●
Swiveling bathroom wall for optimal use of space	●	●
Multimedia		
Flat-screen TV bracket	●	●
Pre-wiring for first rear view camera	●	●
Pre-wiring for satellite system	●	●
Heating		
Diesel hot air heating 6 kW with hot water boiler and integrated height kit	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●
Air Conditioning		
Pre-wiring for roof A/C	●	●
Electrical installation		
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●
Awning light 12 V	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●
LED lighting throughout the vehicle	●	●
Leisure battery AGM, 95 Ah	●	●
Light Moments: Illuminated window panelling in the living room	●	●
Light Moments: Indirect ambient lighting above the overhead lockers	●	●
Light Moments: Indirect wall surface ambient lighting	●	●
Light Moments: illuminated kitchen splashback	●	●
Number of sockets 1x 12V, 7x 230V, 4x USB	●	●
On-board control panel	●	●
Pre-wiring for solar	●	●
Spotlights in the roof lining above the habitation door	●	●

Standard equipment

T1

T4

Water supply

Fresh water tank in insulated and heated area



Submersible pump



Gas supply

Storage space for a gas cylinder with a filling weight of 2.75 kg



Safety

Smoke detector



PACKAGES GLOBEBUS CAMP LOW PROFILE

Package	Active Package T1 (14826)	Active Package T4 (14826)
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	x	x
Full LED low beam	x	x
Electric parking brake	x	x
Rear view camera (single camera)	x	x
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	x	x
Digital control element for hot air heating	x	x
Pre-wiring for second rear view camera	x	x
Upholstery Jupiter	x	x
Active exterior design (rear light carrier with black diffuser, extended labelling, 'red' skid plate)	x	x
Roof awning Omnistor 3.25 m (manual)	x	
Insulated waste water tank	x	
Roof awning Omnistor 4.0 m (manual)		x
Insulated waste water tank		x
Additional weight (kg)*	40.75	46.25

Package	Package X (awning 3.25m) (11936)	Package X (awning 4.0m) (11936)	Package One (awning 3.25m) (12126)	Package One (awning 4.0m) (12126)
Rear view camera (single camera)	x	x	x	x
Roof awning Omnistor 3.25 m (manual)	x		x	
Roof awning Omnistor 4.0 m (manual)		x		x
Automatic HD satellite system 65 Twin			x	x
Flat screen 22" HD TV			x	x
Flat-screen TV bracket			x	x
Additional weight (kg)*	35.1	41.1	51.6	57.6



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Package	Winter Comfort Package hot air heating Globebus Camp T1 (14411)	Winter Comfort Package hot air heating Globebus Camp T4 (14411)
Insulated under-floor pipes	x	x
Switch for water pump	x	x
Diesel hot air heating 6 kW with 1.8 kW electric heating element incl. digital control element and integrated height kit	x	x
Waste water tank and pipes electrically heated	x	x
Insulated waste water tank	x	
XPS insulation	x	
Insulated waste water tank		x
XPS insulation		x
Additional weight (kg)*	22.5	23.5

Chassis Package (14476)	
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	
Electric parking brake	
Full LED low beam	
Additional weight (kg)*	-9.1

Assistance Package Fiat (14477)	
Rain and light sensor with automatic dimming	
Emergency Brake Assist with pedestrian detection	
Lane Keep Assist	
Traffic Sign Assist	
Attention Assist	
Intelligent speed assistant	
Additional weight (kg)*	0.5

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	T1	T4
Fiat chassis					
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	—	60	140A	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	—	60	180A	—	○
Weight upgrade					
Weight upgrade 3,650 kg	—	0	10769	○	○
Fiat chassis features					
Tow bar (check permissible gross towing weight for trailer operation)	—	57	273	○	—
Tow bar (check permissible gross towing weight for trailer operation)	—	60	273	—	○
Exterior features					
Bike rack for 3 bikes (lowerable)	—	21.1	7482	○	○
Bike rack for 3 bikes (rear)	—	9.6	938	○	○
Interior design					
Upholstery Jupiter ²⁾	—	0	13725	○	○
Upholstery Salerno incl. driver and passenger seat cover	—	0	12747	○	○
Furniture layouts					
ISOFIX child seat bracket for third and fourth seat facing direction of travel	—	4	8125	○	○
Multimedia					
Automatic HD satellite system 65 Twin ^{4) 2)}	—	11	11258	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	—	3.65	9582	○	○
Flat screen 22" HD TV incl. flat screen bracket ^{3) 2)}	—	5.5	11506+325	○	○
Second rear view camera in rear moulding	—	1	11541	○	○
Heating					
Diesel hot air heating 6 kW with 1.8 kW electric heating element incl. digital control element and integrated height kit	—	1.3	11585	○	○
Digital control element for hot air heating	—	0.1	6622	○	○
Air Conditioning					
Roof A/C	—	40	609	○	○
Electrical installation					
2nd Leisure battery Dual Battery System (Lithium), 168 Ah ⁶⁾	—	21.5	13391	○	○
Second leisure battery AGM, 95 Ah ⁶⁾	—	27	830	○	○
Solar power system 100 watt	—	12.6	922	○	○
Water supply					
Insulated waste water tank	—	8.5	13742	—	○
Insulated waste water tank	—	9	13742	○	—
Switch for water pump	—	0.2	397	○	○
Packages					
Active Package T1	—	40.75	14826	○	—
Active Package T4	—	46.25	14826	—	○
Assistance Package Fiat	—	0.5	14477	○	○
Chassis Package ⁷⁾	—	-9.1	14476	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	T1	T4
Package One (awning 3.25m) ⁷⁾	—	51.6	12126	○	—
Package One (awning 4.0m) ⁷⁾	—	57.6	12126	—	○
Package X (awning 3.25m) ⁷⁾	—	35.1	11936	○	—
Package X (awning 4.0m) ⁷⁾	—	41.1	11936	—	○
Winter Comfort Package hot air heating Globebus Camp T1 ⁷⁾	—	22.5	14411	○	—
Winter Comfort Package hot air heating Globebus Camp T4 ⁷⁾	—	23.5	14411	—	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

The weight specifications and tests for **motorhomes** are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this **regulation** for you below. Our **dealers** and the Dethleffs configurator on our website offer you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The **technically permissible maximum laden mass** of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the **technically permissible maximum laden mass** of the model you have chosen can be found in the technical data. If the vehicle exceeds the **technically permissible maximum laden mass** in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the **mass in running order** is the basic vehicle with **standard equipment** plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the **standard equipment**, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications;) and an aluminium gas cylinder filled to 100 %;
- the **fuel tank**, which is 90 % full, including fuel;
- the driver, whose weight – regardless of the actual weight – is generally specified as 75 kg in accordance with EU law.

Information on the **mass in running order** can be found for each model in our sales documents. It is important to note that the value for **mass in running order** given in the sales documents is a default value determined in the **type-approval procedure** and verified by the authorities. It is legally permissible and possible for the **mass in running order** of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible **tolerance** is $\pm 5\%$. In this way, the EU legislator accounts for the fact that certain fluctuations in the **mass in running order** occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- **Mass in running order** acc. to sales documents: 2,850 kg
- Legally permissible **tolerance** of $\pm 5\%$: 142.50 kg
- Legally permissible range of **mass in running order**: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Dethleffs makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. **Deviations** at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even

with all optimisations. The real weight of the vehicle and compliance with the permissible **tolerance** is therefore checked by Dethleffs by weighing each vehicle at the **end of the line**.

3. Mass of the passengers

The **mass of the passengers** is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The **mass of the driver** is already included in the **mass in running order** (see no. 2 above) and is therefore not included again. In the case of a **motorhome** with four **permitted seats**, the **mass of the passengers** is therefore $3 * 75 \text{ kg} = 225 \text{ kg}$.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the **standard equipment** which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the **optional equipment** that can be ordered can be found in our sales documents. **Optional equipment** in this sense does not include other **accessories** that are retrofitted by the **dealer** or you personally after the vehicle has been delivered ex works.

The **mass of the vehicle in running order** (see no. 2 above) and the mass of the **optional equipment** fitted to a specific vehicle at the factory are together referred to as the **actual mass**. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the **mass in running order** – as an element of the **actual mass** – is subject to a legally permissible **tolerance** of $\pm 5\%$ (see no. 2), the **actual mass** may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg $\geq 10 * (n + L)$

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. $10 \text{ kg} * (4 + 6) = 100 \text{ kg}$.

To ensure that the **minimum pay-mass** is maintained, there is a maximum combination of **optional equipment** that can be ordered for each vehicle model. In the above example with a **minimum pay-mass** of 100 kg, the total mass of **optional equipment** for a vehicle with four **permitted seats** and a **mass in running order** of 2,850 kg should not exceed 325 kg:

3,500 kg **technically permissible maximum laden mass**
 - 2,850 kg **mass in running order**
 - 3*75 kg **mass of the passengers**
 - 100 kg **minimum pay-mass**
 = 325 kg **maximum permissible mass of optional equipment**

It is important to note that this calculation is based on the default value for **mass in running order** as defined in the **type-approval procedure**, without taking into account the permissible weight deviations for **mass in running order** (see no. 2 above). If the maximum permissible value for the **optional equipment** of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the **minimum pay-mass** of 100 kg being met mathematically using the default value for the **mass in running order**, although in fact there is no corresponding **load capacity**. Here, too, an example calculation for a vehicle with four seats, whose real weighed **mass in running order** is 2 % above the nominal value:

3.500 kg **technically permissible maximum laden mass**
 - 2.907 kg **real weighed mass in running order** (+ 2 % compared to the stated value of 2,850 kg)
 - 3*75 kg **mass of the passengers**
 - 325 kg **optional equipment** (maximum permissible value)
 = 43 kg **actual load capacity** (< **minimum pay-mass** of 100 kg)

In order to avoid such a situation, Dethleffs further reduces the maximum permissible weight of the total **optional equipment** that can be ordered on a model-specific basis. The limitation of **optional equipment** is intended to ensure that the **minimum pay-mass**, i.e. the legally prescribed free mass for **baggage** and retrofitted **accessories**, is actually available for the **vehicle load capacity** of the vehicles delivered by Dethleffs. Since the weight of a specific vehicle can only be determined when it is weighed at the **end of the line**, in very rare cases a situation may arise in which the **minimum pay-mass** at the **end of the line** is not guaranteed, despite this limitation of **optional equipment**. In order to guarantee the **minimum pay-mass** even in these cases, Dethleffs will check together with your **trade partner** and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or **optional equipment** is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the **minimum pay-mass**, you should note that unavoidable production-related fluctuations in the **mass in running order** – both upwards and downwards – have a mirror-image effect on the remaining **load capacity**: If you order our example vehicle (see no. 3. above), for example, with **optional equipment** with a total weight of 150 kg, the calculated **pay-mass** based on the default value for the **mass in running order** is 275 kg. The **load capacity** actually available may deviate from this value due to **tolerances** and may be higher or lower. If the **mass in running or-**

der of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the **load capacity** is reduced from 275 kg to 218 kg:

3.500 kg **technically permissible maximum laden mass**
 2.907 kg **real weighed mass in running order** (+ 2 % compared to the stated value of 2,850 kg)
 3*75 kg **mass of the passengers**
 150 kg **optional equipment** ordered for the specific vehicle
 = 218 kg **sactical load capacity**

As a precaution to ensure that the calculated **pay-mass** is actually given, you should therefore take the possible and permissible **tolerances** for the **mass in running order** into account when configuring your vehicle. We also recommend that you weigh the laden **motorhome** on a non-automatic scale before each journey and, taking the individual weight of the **passengers** into account, determine whether the **technically permissible maximum laden mass** and the **technically permissible maximum mass on the axle** are observed.