

Your Just Camp Active:

Huge price advantage!



- Active exterior design (rear light carrier with black diffuser, extended stickers, "red" skid plate)
- Cassette awning Omnistor (manual)
- Reversing camera (single camera)

- Digital control element for hot air heating

- Dethleffs Naviceiver incl. DAB+, Truck Navigation, Wireless Apple CarPlay and Android Auto

Light Moments: Illuminated kitchen splashback

- Upholstery Heron textile-leather

Just Camp Low Profile



Some decisions are easy. For example, the one in favour of the Just Camp! With its stylish design, good equipment and lots of fresh ideas, it makes it easy to get into caravanning. Seven different layout solutions also contribute to this, covering the most diverse wishes and requirements for mobile living

Upholstery




+ Upholstery Drake



+ Upholstery Heron
(partial textile-
leather) ○

Wood décor



+ Wood décor Noce Nagano

○ optionally available

Technical info

Overall length, approx.	695 - 740 cm
Overall width, approx.	233 cm
Overall height, approx.	294 cm
Headroom in living area, approx.	213 cm

Maximum values partly not possible for all models or only in connection with certain options.

Plus factors

- + Proven Lifetime body construction with GRP outer skin and excellent insulation
- + 70 cm wide habitation door with central locking
- + Interior height 2.13 m (not below pull-down bed)
- + Pleasant sleeping comfort due to 150 mm thick 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames



Just Camp Low Profile

Technical info



Just Camp Low Profile		T 6752 DBL	T 6762	T 6812 EB
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6e	Euro 6e	Euro 6e
Overall length, approx.	cm	695	695	695
Overall width, approx.	cm	233	233	233
Overall height, approx.	cm	294 ¹⁾	294 ¹⁾	294 ¹⁾
Headroom in living area, approx.	cm	213	213	213
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	4035	4035	3800
Bed dimension: Front bed, L x W, approx.	cm	200 x 140 ○	200 x 150	200 x 140 - 125 ○
Bed dimension: Central / middle bed, L X W, approx.	cm	200 x 110 - 90 ○	210 x 120 ○	210 x 105 - 70 ○
Bed dimension: Rear bed, L x W, approx.	cm	190 x 150		198 x 80 / 200 x 80 / 210 x 170
Sleeping berths standard / max.		2 / 5 ○	2 / 4 ○	2 / 5 ○
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Mass in running order (+/-5%)*	kg	2828 (2687 to 2969)*	2915 (2769 to 3061)*	2830 (2689 to 2972)*
Manufacturer-specified mass for optional equipment*	kg	336	249	334
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4 - 5 ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	75 x 65	55 x 170	75 x 95 ○
Measurement storage opening right (W x H)	cm	75 x 85	60 x 115	75 x 115



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Just Camp Low Profile Technical info



Just Camp Low Profile		T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6e	Euro 6e	Euro 6e	Euro 6e
Overall length, approx.	cm	740	740	740	740
Overall width, approx.	cm	233	233	233	233
Overall height, approx.	cm	294 ¹⁾	294 ¹⁾	294 ¹⁾	294 ¹⁾
Headroom in living area, approx.	cm	213	213	213	213
Towable load braked/ unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	4035	4035	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	200 x 140 - 125 ○	200 x 140 ○	200 x 140 - 125 ○	200 x 140 ○
Bed dimension: Central / middle bed, L X W, approx.	cm	210 x 120 - 80 ○	206 x 110 - 90 ○	210 x 120 - 80 ○	206 x 110 - 90 ○
Bed dimension: Rear bed, L x W, approx.	cm	2x 215 x 80 / 210 x 190	2x 215 - 195 x 80 / 210 x 190	190 x 150	190 x 150
Sleeping berths standard / max.		2 / 5 ○	2 / 5 ○	2 / 5 ○	2 / 5 ○
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order (+/-5%)*	kg	2881 (2737 to 3025)*	2983 (2834 to 3132)*	2873 (2729 to 3017)*	2975 (2826 to 3124)*
Manufacturer-specified mass for optional equipment*	kg	279	177	287	185



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Just Camp Low Profile Technical info



Just Camp Low Profile	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Technically permissible maximum laden mass* kg	3499	3499	3499	3499
Permitted number of seats (including driver)*	4 - 5 ○	4	4 - 5 ○	4
Refrigerator volume (thereof freezer), approx. l	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○
Waste water tank, approx. l	90	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling l	116 / 20	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H) cm	95 x 95	95 x 95	95 x 95	95 x 95
Measurement storage opening right (W x H) cm	95 x 115	95 x 115	95 x 115	95 x 115

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Fiat chassis							
Alloy wheel Fiat 16 ", black	●	●	●	●	●	●	●
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	●	●	●	●	●	●	●
Right-hand drive chassis	●	●	●	●	●	●	●
Fiat chassis features							
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●	●	●	●	●
Anti-theft device	●	●	●	●	●	●	●
Automatic Brake Assist after a collision	●	●	●	●	●	●	●
Cab blackout blinds	●	●	●	●	●	●	●
Captain seats for driver and front passenger, swivel function	●	●	●	●	●	●	●
Chassis in right-hand drive version	●	●	●	●	●	●	●
Crosswind Assist	●	●	●	●	●	●	●
Cruise control	●	●	●	●	●	●	●
Cup holder in the centre of the dashboard	●	●	●	●	●	●	●
DAB+ radio antenna integrated into right exterior mirror	●	●	●	●	●	●	●
Dashboard with aluminium application	●	●	●	●	●	●	●
Daytime running lights integrated into headlights	●	●	●	●	●	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●	●	●	●	●	●
Driver and passenger airbags	●	●	●	●	●	●	●
Driver and passenger detection	●	●	●	●	●	●	●
Driver's cab manual A/C	●	●	●	●	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●	●	●	●	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●	●	●	●	●	●	●
Exterior colour chassis white	●	●	●	●	●	●	●
Fog lights incl. cornering light	●	●	●	●	●	●	●
Front-wheel drive	●	●	●	●	●	●	●
GRP lightweight leaf spring	●	●	●	●	●	●	●
Height and tilt adjustment and double armrests for driver and passenger seat	●	●	●	●	●	●	●
Leather steering wheel and gear knob with leather sleeve	●	●	●	●	●	●	●
Painted front bumper in body colour incl. black skid plate	●	●	●	●	●	●	●
Preparation for radio system incl. loudspeakers in the driver's cabin	●	●	●	●	●	●	●
Rear axle mudflaps	●	●	●	●	●	●	●
Right-hand drive with exhaust on the left side	●	●	●	●	●	●	●
Steering wheel with control elements	●	●	●	●	●	●	●
Trailer Stability Assist	●	●	●	●	●	●	●
Tyre inflation kit and towing eye	●	●	●	●	●	●	●
Widened rear axle	●	●	●	●	●	●	●
Winter tyres M+S Camping (with snowflake)	●	●	●	●	●	●	●
Exterior features							
70 cm wide habitation door	●	●	●	●	●	●	●
Access locker door left	—	—	●	●	●	●	●
Access locker door left	●	—	—	—	—	—	—
Dethleffs Exclusive rear light carrier with 3rd brake light	●	●	●	●	●	●	●
Double-glazed flush-fitting windows with blackout & mosquito protection incl. panelled kitchen rear wall	●	●	●	●	●	●	●
EPS insulation	●	●	●	●	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●	●	●	●	●
Flyscreen habitation door	●	●	●	●	●	●	●
GRP roof	●	●	●	●	●	●	●
Habitation door with window incl. blackout and central locking (incl. cab door)	●	●	●	●	●	●	●
Large rear garage: right-hand garage door with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	●	—	●	●	●	●	●
Large rear garage: two garage doors/flaps with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	—	●	—	—	—	—	—
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	●	●	●	●	●	●	●
Opening window in T-hood	●	●	●	●	●	●	●

Standard equipment

	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Panorama skylight 70 x 50 cm in the living area ¹⁰⁾	●	●	●	●	●	●	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●	●	●	●	●	●
Skylight 40 x 40 cm above the seating lounge	●	●	●	●	●	●	●
Exterior design							
Exterior body painted in white	●	●	●	●	●	●	●
Interior design							
Upholstery Drake	●	●	●	●	●	●	●
Wood décor Noce Nagano	●	●	●	●	●	●	●
Textile equipment							
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●	●	●	●
Furniture layouts							
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts	—	—	●	●	—	●	—
Cosy lounge seating group with free-standing, rigid table base	●	●	—	—	●	—	●
Double bed low	●	—	—	—	—	—	—
Electric pull-down bed across the seating unit	—	●	—	—	—	—	—
Height-adjustable double bed	—	—	—	—	—	●	●
High-level single beds incl. comfortable access via steps	—	—	●	●	●	—	—
Option to convert single bed to double bed	—	—	●	●	●	—	—
Overhead locker doors with soft-close function	●	●	●	●	●	●	●
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	—	●	—	—	—	—	—
Wardrobe to the left and right of the queen-size bed	●	—	—	—	—	●	●
Kitchen							
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	—	●	●	●	●	●	●
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●	●	●	●	●	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●	●	●	●	●	●	●
Oven in the kitchen floor units	—	●	—	—	—	—	—
Oven in the kitchen floor units	—	—	●	●	●	●	●
Bathroom							
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●	●	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●	—	●	●	●	●
Shower grate	●	●	—	●	●	●	●
Shower grate	—	—	●	—	—	—	—
Swiveling bathroom wall for optimal use of space	—	—	●	—	—	—	—
Multimedia							
Pre-wiring for satellite system	●	●	●	●	●	●	●
Heating							
Gas hot air heating 6kW with hot water boiler	●	●	●	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●	●	●	●
Electrical installation							
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●	●	●	●	●	●
Awning light 12 V	●	●	●	●	●	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●	●	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●	●	●	●
Light Moments: Indirect ambient lighting above the overhead lockers	●	●	●	●	●	●	●
Light Moments: Indirect wall surface ambient lighting	●	●	●	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 4x USB	—	●	—	—	—	—	—
Number of sockets 1x 12V, 8x 230V, 4x USB	—	—	●	●	—	●	—
Number of sockets 1x 12V, 8x 230V, 5x USB	●	—	—	—	●	—	●
On-board control panel	●	●	●	●	●	●	●
Pre-wiring for solar	●	●	●	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●	●	●	●

Standard equipment

	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Water supply							
Fresh water tank in insulated and heated area	●	●	●	●	●	●	●
Insulated waste water tank	●	●	●	●	●	●	●
Submersible pump	●	●	●	●	●	●	●
Gas supply							
Storage space for 2 gas bottles with a filling weight of 11 kg each	●	●	●	●	●	●	●
Safety							
Smoke detector	●	●	●	●	●	●	●

PACKAGES JUST CAMP LOW PROFILE

Package	Package X (awning 4.0m) (11936)	Package X (awning 4.5m) (11936)
Rear view camera (single camera)	x	x
Omnistor cassette awning 4.0 m (manual)	x	
Omnistor cassette awning 4.5 m (manual)		x
Additional weight (kg)*	35.1	39.1

Package	Winter Comfort Package hot air heating Just Camp 6752 DBL, 6762, 6812 EB (8251)	Winter Comfort Package hot air heating Just Camp 7052 (8251)
Insulated under-floor pipes	x	x
Waste water tank and pipes electrically heated	x	x
Insulated waste water tank	x	x
Switch for water pump	x	x
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	x	x
XPS insulation	x	
XPS insulation		x
Additional weight (kg)*	27.7	28.7

Chassis Package (14476)	
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	
Electric parking brake	
Full LED low beam	
Additional weight (kg)*	-9.1

Assistance Package Fiat (14477)	
Rain and light sensor with automatic dimming	
Emergency Brake Assist with pedestrian detection	
Lane Keep Assist	
Traffic Sign Assist	
Attention Assist	
Intelligent speed assistant	
Additional weight (kg)*	0.5



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Active-Package T 6812 EB / 7052 EB/EBL/DBM/DBL (14876)

Rear view camera (single camera)
Digital control element for hot air heating
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto
Light Moments: illuminated kitchen splashback
Upholstery Heron (partial textile-leather)
Active exterior design (rear light carrier with black diffuser, extended labelling, "red" skid plate)

Additional weight (kg)*

4.95

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment*

	Included in package	Additional weight (kg)*	Code	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Fiat chassis										
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	—	60	140A	○	○	○	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	—	60	180A	○	○	○	○	○	○	○
Weight upgrade										
Weight upgrade 3,650 kg	—	0	10769	○	○	○	○	○	○	○
Fiat chassis features										
Additional seat ⁸⁾	—	14	435	—	—	○	○	—	○	—
Tow bar (check permissible gross towing weight for trailer operation)	—	61	273	○	○	—	—	—	—	—
Tow bar (check permissible gross towing weight for trailer operation)	—	64	273	—	—	○	—	—	—	—
Tow bar (check permissible gross towing weight for trailer operation)	—	66	273	—	—	—	○	○	○	○
Exterior features										
Bike rack for 3 bikes (lowerable)	—	21.1	7482	○	○	○	○	○	○	○
Bike rack for 3 bikes (rear)	—	9.6	938	○	○	○	○	○	○	○
Interior design										
Upholstery Heron (partial textile-leather) ²⁾	—	0	13726	—	—	○	○	○	○	○
Furniture layouts										
Bed convert for seating lounge transverse	—	9	1944	—	○	—	—	—	—	—
Bed convert for seating lounge transverse	—	7	1944	—	—	○	—	—	—	—
Bed convert for seating lounge transverse	—	8.5	1944	—	—	—	○	—	○	—
Bed convert for seating lounge transverse	—	5.5	1944	○	—	—	—	○	—	○
Electric pull-down bed across the seating unit	—	72	680	—	—	○	○	—	○	—
Electric pull-down bed across the seating unit	—	77	680	○	—	—	—	○	—	○
ISOFIX child seat bracket for third and fourth seat facing direction of travel	—	4	8125	—	—	○	○	—	○	—
Kitchen										
Fridge (137 l) with integrated oven	—	11	290	●	—	—	○	○	○	○
Bathroom										
Window in bathroom	—	5	372	○	●	—	○	○	○	○
Multimedia										
Automatic HD satellite system 65 Twin ⁴⁾	—	11	11258	○	○	○	○	○	○	○
Dethleffs Moniceiver incl. DAB+, Apple CarPlay / Android Auto	—	2	11301	○	○	○	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	—	3.65	9582	○	○	○	○	○	○	○
Flat screen 22" HD TV incl. flat screen bracket ³⁾	—	5.5	11506+325	○	○	○	○	○	○	○
Second rear view camera in rear moulding	—	1	11541	○	○	○	○	○	○	○
Heating										
Floor heating electric (partial)	—	5	763	○	○	○	○	○	○	○
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	—	1	330	○	○	○	○	○	○	○
Air Conditioning										
Roof A/C	—	40	609	○	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Electrical installation										
Second leisure battery AGM, 95 Ah	—	27	830	○	○	○	○	○	○	○
Solar power system 100 watt	—	12.6	922	○	○	○	○	○	○	○
Water supply										
Switch for water pump	—	0.2	397	○	○	○	○	○	○	○
Gas supply										
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2.5	1577	○	○	○	○	○	○	○
Packages										
Active-Package T 6812 EB / 7052 EB/EBL/DBM/DBL	—	4.95	14876	—	—	○	○	○	○	○
Assistance Package Fiat	—	0.5	14477	○	○	○	○	○	○	○
Chassis Package	—	-9.1	14476	○	○	○	○	○	○	○
Package X (awning 4.0m) ⁷⁾	—	35.1	11936	○	○	○	—	—	—	—
Package X (awning 4.5m) ⁷⁾	—	39.1	11936	—	—	—	○	○	○	○
Winter Comfort Package hot air heating Just Camp 6752 DBL, 6762, 6812 EB	—	27.7	8251	○	○	○	—	—	—	—
Winter Comfort Package hot air heating Just Camp 7052	—	28.7	8251	—	—	—	○	○	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

The weight specifications and tests for **motorhomes** are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this **regulation** for you below. Our **dealers** and the Dethleffs configurator on our website offer you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The **technically permissible maximum laden mass** of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the **technically permissible maximum laden mass** of the model you have chosen can be found in the technical data. If the vehicle exceeds the **technically permissible maximum laden mass** in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the **mass in running order** is the basic vehicle with **standard equipment** plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the **standard equipment**, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications;) and an aluminium gas cylinder filled to 100 %;
- the **fuel tank**, which is 90 % full, including fuel;
- the driver, whose weight – regardless of the actual weight – is generally specified as 75 kg in accordance with EU law.

Information on the **mass in running order** can be found for each model in our sales documents. It is important to note that the value for **mass in running order** given in the sales documents is a default value determined in the **type-approval procedure** and verified by the authorities. It is legally permissible and possible for the **mass in running order** of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible **tolerance** is $\pm 5\%$. In this way, the EU legislator accounts for the fact that certain fluctuations in the **mass in running order** occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- **Mass in running order** acc. to sales documents: 2,850 kg
- Legally permissible **tolerance** of $\pm 5\%$: 142.50 kg
- Legally permissible range of **mass in running order**: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Dethleffs makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. **Deviations** at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even

with all optimisations. The real weight of the vehicle and compliance with the permissible **tolerance** is therefore checked by Dethleffs by weighing each vehicle at the **end of the line**.

3. Mass of the passengers

The **mass of the passengers** is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The **mass of the driver** is already included in the **mass in running order** (see no. 2 above) and is therefore not included again. In the case of a **motorhome** with four **permitted seats**, the **mass of the passengers** is therefore $3 * 75 \text{ kg} = 225 \text{ kg}$.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the **standard equipment** which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the **optional equipment** that can be ordered can be found in our sales documents. **Optional equipment** in this sense does not include other **accessories** that are retrofitted by the **dealer** or you personally after the vehicle has been delivered ex works.

The **mass of the vehicle in running order** (see no. 2 above) and the mass of the **optional equipment** fitted to a specific vehicle at the factory are together referred to as the **actual mass**. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the **mass in running order** – as an element of the **actual mass** – is subject to a legally permissible **tolerance** of $\pm 5\%$ (see no. 2), the **actual mass** may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg $\geq 10 * (n + L)$

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. $10 \text{ kg} * (4 + 6) = 100 \text{ kg}$.

To ensure that the **minimum pay-mass** is maintained, there is a maximum combination of **optional equipment** that can be ordered for each vehicle model. In the above example with a **minimum pay-mass** of 100 kg, the total mass of **optional equipment** for a vehicle with four **permitted seats** and a **mass in running order** of 2,850 kg should not exceed 325 kg:

3,500 kg	technically permissible maximum laden mass
- 2,850 kg	mass in running order
- 3*75 kg	mass of the passengers
- 100 kg	minimum pay-mass
= 325 kg	maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for **mass in running order** as defined in the **type-approval procedure**, without taking into account the permissible weight deviations for **mass in running order** (see no. 2 above). If the maximum permissible value for the **optional equipment** of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the **minimum pay-mass** of 100 kg being met mathematically using the default value for the **mass in running order**, although in fact there is no corresponding **load capacity**. Here, too, an example calculation for a vehicle with four seats, whose real weighed **mass in running order** is 2 % above the nominal value:

3.500 kg	technically permissible maximum laden mass
- 2.907 kg	real weighed mass in running order (+ 2 % compared to the stated value of 2,850 kg)
- 3*75 kg	mass of the passengers
- 325 kg	optional equipment (maximum permissible value)
= 43 kg	actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, Dethleffs further reduces the maximum permissible weight of the total **optional equipment** that can be ordered on a model-specific basis. The limitation of **optional equipment** is intended to ensure that the **minimum pay-mass**, i.e. the legally prescribed free mass for **baggage** and retrofitted **accessories**, is actually available for the **vehicle load capacity** of the vehicles delivered by Dethleffs. Since the weight of a specific vehicle can only be determined when it is weighed at the **end of the line**, in very rare cases a situation may arise in which the **minimum pay-mass** at the **end of the line** is not guaranteed, despite this limitation of **optional equipment**. In order to guarantee the **minimum pay-mass** even in these cases, Dethleffs will check together with your **trade partner** and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or **optional equipment** is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the **minimum pay-mass**, you should note that unavoidable production-related fluctuations in the **mass in running order** – both upwards and downwards – have a mirror-image effect on the remaining **load capacity**: If you order our example vehicle (see no. 3. above), for example, with **optional equipment** with a total weight of 150 kg, the calculated **pay-mass** based on the default value for the **mass in running order** is 275 kg. The **load capacity** actually available may deviate from this value due to **tolerances** and may be higher or lower. If the **mass in running or-**

der of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the **load capacity** is reduced from 275 kg to 218 kg:

3.500 kg	technically permissible maximum laden mass
2.907 kg	real weighed mass in running order (+ 2 % compared to the stated value of 2,850 kg)
3*75 kg	mass of the passengers
150 kg	optional equipment ordered for the specific vehicle
= 218 kg	sactical load capacity

As a precaution to ensure that the calculated **pay-mass** is actually given, you should therefore take the possible and permissible **tolerances** for the **mass in running order** into account when configuring your vehicle. We also recommend that you weigh the laden **motorhome** on a non-automatic scale before each journey and, taking the individual weight of the **passengers** into account, determine whether the **technically permissible maximum laden mass** and the **technically permissible maximum mass on the axle** are observed.